

106-11-23

## 拓建-扁管/方管-規格

編號	外徑(mm)	內徑(mm)	厚度(mm)	長度	材質
D014	25.4	25.4	3	6M	6063T5
D017	31.8	31.8	3	6M	6063T5
D128	38.1	38.1	2.8	6M	6063T5
D174	50.8	25.4	1.85	6M	6063T5
D087	101.6	101.6	3	6M	6063T5
D261	120	50	3	6M	6063T5
D224	30	10.8	1.1	6M	6063T5
D260	60	30	1.2	6.1M	6063T5
D159	76	76	6.4	6M	6063T5

106-11-23

## 拓建角鋁規格

編號	寬度(mm)	厚度(mm)	高度(mm)	厚度(mm)	材質	長度
A19.1-19.1-3	19.1	3	19.1	3	6063T5	6M
A25.4-25.4-3	25.4	3	25.4	3	6063T5	6M
A31.8-31.8-3	31.8	3	31.8	3	6063T5	6M
A31.8-31.8-1.8	31.8	1.8	31.8	1.8	6063T5	6M
A38.1-38.1-3	38.1	3	38.1	3	6063T5	6M
A38.1-38.1-4	38.1	4	38.1	4	6063T5	6M
A38.1-38.1-6	38.1	6	38.1	6	6063T5	6M
A50.8-50.8-3	50.8	3	50.8	3	6063T5	6M
A50.8-50.8-4	50.8	4	50.8	4	6063T5	6M
A50.8-50.8-5	50.8	5	50.8	5	6063T	6M
A50.8-50.8-6	50.8	6	50.8	6	6063T5	6M
A50.8-50.8-10	50.8	10	50.8	10	6005T5	6M
A63.5-63.5-6	63.5	6	63.5	6	6063T5	6M
A76.2-76.2-3	76.2	3	76.2	3	6063T5	6M
A76.2-76.2-6	76.2	6	76.2	6	6063T5	6M
A76.2-76.2-10	76.2	10	76.2	10	6005T5	6M
A100-100-8	100	8	100	8	6005T5	5M
A102-102-10	102	10	102	10	6005T5	5M

106-11-23

## 拓建扁條規格

編號	寬度(mm)	厚度(mm)	材質	長度
B006.4-12.7	12.7	6.4	6061T6	3M
B019.1-3.2	19.1	3.2	6061T6	3M
B019.1-6.4	19.1	6.4	6061T6	3M
B019.1-9.5	19.1	9.5	6061T6	3M
B019.1-12.7	19.1	12.7	6061T6	3M
B022.2-12.7	22.2	12.7	6061T6	3M
B025.4-6.4	25.4	6.4	6061T6	3M
B025.4-9.5	25.4	9.5	6061T6	3M
B025.4-12.7	25.4	12.7	6061T6	3M
B025.4-15.9	25.4	15.9	6061T6	3M
B025.4-19.1	25.4	19.1	6061T6	3M
B025.4-22.2	25.4	22.2	6061T6	3M
B030.0-15.0	30	15	6061T6	3M
B030.0-20.0	30	20	6061T6	3M
B031.8-6.4	31.8	6.4	6061T6	3M
B031.8-9.5	31.8	9.5	6061T6	3M
B031.8-12.7	31.8	12.7	6061T6	3M
B031.8-15.9	31.8	15.9	6061T6	3M
B031.8-19.1	31.8	19.1	6061T6	3M
B031.8-22.2	31.8	22.2	6061T6	3M
B031.8-25.4	31.8	25.4	6061T6	3M
B038.1-6.4	38.1	6.4	6061T6	3M
B038.1-9.5	38.1	9.5	6061T6	3M
B038.1-12.7	38.1	12.7	6061T6	3M
B038.1-15.9	38.1	15.9	6061T6	3M
B038.1-19.1	38.1	19.1	6061T6	3M
B038.1-22.2	38.1	22.2	6061T6	3M
B038.1-25.4	38.1	25.4	6061T6	3M
B038.1-31.8	38.1	31.8	6061T6	3M
B040.0-20.0	40	20	6061T6	3M

106-11-23

## 拓建扁條規格

編號	寬度(mm)	厚度(mm)	材質	長度
B044.5-9.5	44.5	9.5	6061T6	3M
B044.5-12.7	44.5	12.7	6061T6	3M
B044.5-15.9	44.5	15.9	6061T6	3M
B044.5-19.1	44.5	19.1	6061T6	3M
B044.5-25.4	44.5	25.4	6061T6	3M
B044.5-31.8	44.5	31.8	6061T6	3M
B044.5-38.1	44.5	38.1	6061T6	3M
B050.8-6.4	50.8	6.4	6061T6	3M
B050.8-9.5	50.8	9.5	6061T6	3M
B050.8-12.7	50.8	12.7	6061T6	3M
B050.8-15.9	50.8	15.9	6061T6	3M
B050.8-19.1	50.8	19.1	6061T6	3M
B050.8-22.2	50.8	22.2	6061T6	3M
B050.5-25.4	50.8	25.4	6061T6	3M
B050.8-31.8	50.8	31.8	6061T6	3M
B050.8-38.1	50.8	38.1	6061T6	3M
B050.0-40.0	50	40	6061T6	3M
B063.5-6.4	63.5	6.4	6061T6	3M
B063.5-9.5	63.5	9.5	6061T6	3M
B063.5-12.7	63.5	12.7	6061T6	3M
B063.5-15.9	63.5	15.9	6061T6	3M
B063.5-19.1	63.5	19.1	6061T6	3M
B063.5-22.2	63.5	22.2	6061T6	3M
B063.5-25.4	63.5	25.4	6061T6	3M
B063.5-31.8	63.5	31.8	6061T6	3M
B063.5-38.1	63.5	38.1	6061T6	3M
B063.5-44.5	63.5	44.5	6061T6	3M
B063.5-50.8	63.5	50.8	6061T6	3M
B076.2-6.4	76.2	6.4	6061T6	3M
B076.2-9.5	76.2	9.5	6061T6	3M
B076.2-12.7	76.2	12.7	6061T6	3M

106-11-23

## 拓建扁條規格

編號	寬度(mm)	厚度(mm)	材質	長度
B076.2-15.9	76.2	15.9	6061T6	3M
B076.2-19.1	76.2	19.1	6061T6	3M
B076.2-22.2	76.2	22.2	6061T6	3M
B076.2-25.4	76.2	25.4	6061T6	3M
B076.2-31.8	76.2	31.8	6061T6	3M
B076.2-38.1	76.2	38.1	6061T6	3M
B076.2-44.5	76.2	44.5	6061T6	3M
B076.2-50.8	76.2	50.8	6061T6	3M
B084-064	84	64	6061T6	3M
B085.7-50.8	85.7	50.8	6061T6	3M
B087-42	87	42	6061T6	3M
B088.9-6.4	88.9	6.4	6061T6	3M
B088.9-9.5	88.9	9.5	6061T6	3M
B088.9-12.7	88.9	12.7	6061T6	3M
B088.9-15.9	88.9	15.9	6061T6	3M
B088.9-19.1	88.9	19.1	6061T6	3M
B088.9-22.2	88.9	22.2	6061T6	3M
B088.9-25.4	88.9	25.4	6061T6	3M
B088.9-31.8	88.9	31.8	6061T6	3M
B088.9-38.1	88.9	38.1	6061T6	3M
B091-51	91	51	6061T6	3M
B101.6-6.4	101.6	6.4	6061T6	3M
B101.6-9.5	101.6	9.5	6061T6	3M
B101.6-12.7	101.6	12.7	6061T6	3M
B101.6-15.9	101.6	15.9	6061T6	3M
B101.6-19.1	101.6	19.1	6061T6	3M
B101.6-22.2	101.6	22.2	6061T6	3M
B101.6-25.4	101.6	25.4	6061T6	3M
B101.6-31.8	101.6	31.8	6061T6	3M
B101.6-38.1	101.6	38.1	6061T6	3M
B101.6-44.5	101.6	44.5	6061T6	2.5M

106-11-23		拓建扁條規格		
編號	寬度(mm)	厚度(mm)	材質	長度
B101.6-50.8	101.6	50.8	6061T6	2.3M
B106-71	106	71	6061T6	1.5M
B115-13	115	13	6061T6	3M
B114.3-15.8	114.3	15.8	6061T6	3M
B127-9.6	127	9.6	6061T6	3M
B127-12.7	127	12.7	6061T6	3M
B127-15.9	127	15.9	6061T6	3M
B127-19.1	127	19.1	6061T6	3M
B127-22.2	127	22.2	6061T6	3M
B127-25.4	127	25.4	6061T6	3M
B127-31.8	127	31.8	6061T6	3M
B127-38.1	127	38.1	6061T6	2.5M
B127-51	127	51	6061T6	1.5M
B127-57	127	57	6061T6	1.5M
B130-65	130	65	6061T6	1.4M
B135-45	135	45	6061T6	2M
B141-13	141	13	6061T6	3M
B152.4-12.7	152.4	12.7	6061T6	3M
B152.4-15.9	152.4	15.9	6061T6	3M
B152.4-19.1	152.4	19.1	6061T6	3M
B152.4-22.2	152.4	22.2	6061T6	3M
B152.4-25.4	152.4	25.4	6061T6	3M
B152.4-31.8	152.4	31.8	6061T6	2M
B152.4-38.1	152.4	38.1	6061T6	1.8M
B160-32	160	32	6061T6	2.5M
B160-39	160	39	6061T6	2M
B177-10	177	10	6061T6	3M
B200-16	200	16	6061T6	3M
B200-21	200	21	6061T6	3M
B202-19	202	19	6061T6	3M
B203-25.4	203	25.4	6061T6	2M

106-11-23

拓建扁條規格

編號	寬度(mm)	厚度(mm)	材質	長度

106-11-23

## 拓建六角條規格

編號	外徑(mm)	材質	長度
CN00.95	9.5	6061T6	3M
CN012.7	12.7	6061T6	3M
CN015.9	15.9	6061T6	3M
CN019.1	19.1	6061T6	3M
CN022.2	22.2	6061T6	3M
CN025.4	25.4	6061T6	3M
CN028.6	28.6	6061T6	3M
CN030	30	6061T6	3M
CN032	32	6061T6	3M
CN035	35	6061T6	3M
CN038.1	38.1	6061T6	3M
CN044.5	44.5	6061T6	3M
CN050.8	50.8	6061T6	3M



106-11-23

## 拓建圓條規格

編號	外徑(mm)	材質	長度
RM005	5	60063T	3M
RM006	6	60063T	3M
RM006.4	6.4	60063T	3M
RM008	8	6061T6	3M
RM008.9	8.9	6061T6	3M
RM009.6	9.6	6061T6	3M
RM010	10	6061T6	3M
RM011	11	6061T6	3M
RM012	12	6061T6	3M
RM012.7	12.7	6061T6	3M
RM015.9	15.9	6061T6	3M
RM019.1	19.1	6061T6	3M
RM020	20	6061T6	3M
RM022.2	22.2	6061T6	3M
RM025.4	25.4	6061T6	3M
RM028.5	28.5	6061T6	3M
RM031.8	31.8	6061T6	3M
RM035	35	6061T6	3M
RM038.1	38.1	6061T6	3M
RM040	40	6061T6	3M
RM041.3	41.3	6061T6	3M
RM044.5	44.5	6061T6	3M
RM047.6	47.6	6061T6	3M
RM050.8	50.8	6061T6	3M
RM054	54	6061T6	3M
RM057	57	6061T6	3M
RM060.8	60.8	6061T6	3M
RM063.5	63.5	6061T6	3M
RM066.7	66.7	6061T6	3M

106-11-23

## 拓建圓條規格

編號	外徑(mm)	材質	長度
RM068	68	6061T6	3M
RM071	71	6061T6	3M
RM073	73	6061T6	3M
RM076.2	76.2	6061T6	2.5M
RM080	79.3	6061T6	2M
RM081	81	6061T6	2M
RM082.5	82.5	6061T6	2M
RM085.7	85.7	6061T6	2M
RM088.9	88.9	6061T6	1.8M
RM092	92	6061T6	1.8M
RM095.2	95.2	6061(正T6)	1.2M
RM101.6	101.6	6061(正T6)	1.2M
RM106	106	6061(正T6)	1.2M
RM112	112	6061(正T6)	1.2M
RM115	115	6061(正T6)	1.2M
P114	114(鋁擠錠)	6061(正T6)	1.16M
RM122	122	6061(正T6)	1.2M
P127	127(鋁擠錠)	6061(正T6)	1.16M
RM139.7	139.7	6061(正T6)	1.2M
P139.7	139.7(鋁擠錠)	6061(正T6)	1.16M
RM141	141	6061(正T6)	1M
P152.4	152.4(鋁擠錠)	6061(正T6)	1.16M
RM152.4	152.4	6061(正T6)	0.82M
P165.1	165.1(鋁擠錠)	6061(正T6)	1.16M
P177.8	177.8(鋁擠錠)	6061(正T6)	1.16M
P190.5	190.5(鋁擠錠)	6061(正T6)	1.16M
P203.2	203.2(鋁擠錠)	6061(正T6)	1.16M
P215.9	215.9(鋁擠錠)	6061(正T6)	1.16M
P228.6	228.6(鋁擠錠)	6061(正T6)	1.16M
P241.3	241.3(鋁擠錠)	6061(正T6)	0.86M

106-11-23

拓建圓條規格

編號	外徑(mm)	材質	長度
P254	254(鋁擠錠)	6061(正T6)	0.82M

106-11-23

## 拓建方條規格

編號	外徑(mm)	材質	長度
S006.4	6.4	6063T5	3M
S009.5	9.5	6061T6	3M
S012.7	12.7	60063T	3M
S015.9	15.9	6061T6	3M
S019.1	19.1	6061T6	3M
S022.2	22.2	6061T6	3M
S025.4	25.4	6061T6	3M
S028.6	28.6	6061T6	3M
S032	32	6061T6	3M
S035	35	6061T6	3M
S038.1	38.1	6061T6	3M
S041.3	41.3	6061T6	3M
S044.5	44.5	6061T6	3M
S050.8	50.8	6061T6	3M
S054	54	6061T6	3M
S057	57	6061T6	3M
S061	61	6061T6	3M
S063.5	63.5	6061T6	3M
S066.7	66.7	6061T6	2.5M
S071	71	6061T6	2M
S076.2	76.2	6061T6	2M
S082.6	82.6	6061T6	1.8M
S086	86	6061(正T6)	1.2M
S088.9	88.9	6061(正T6)	1.2M
S096	96	6061(正T6)	1.2M
S102	102	6061(正T6)	1.38M
S116	116	6061(正T6)	900m/m

106-11-23

## 拓建圓管規格

編號	外徑(mm)	內徑(mm)	厚度(mm)	長度	材質
T8.0-5.0	8	5	1.5	3M	6063T5
T8.0-6.0	8	6	1	3M	6063T5
T9.5-6.5	9.5	6.5	1.5	3M	6063T5
T9.5-7.5	9.5	7.5	1	3M	6063T5
T10.0-8.0	10	8	1	3M	6063T5
T12.0-6.4	12	6.4	2.8	3M	6063T5
T12.7-10.7	12.7	10.7	1	3M	6063T5
T12.7-9.7	12.7	9.7	1.5	3M	6063T5
T12.7-8.7	12.7	8.7	2	3M	6063T5
T12.7-6.7	12.7	6.7	3	3M	6063T5
T15.9-13.9	15.9	13.9	1	3M	6063T5
T15.9-12.9	15.9	12.9	1.5	3M	6063T5
T15.9-11.9	15.9	11.9	2	3M	6063T5
T15.9-9.9	15.9	9.9	3	3M	6063T5
T19.1-7.5	19.1	7.5	5.8	3M	6061T6
T19.1-17.1	19.1	17.1	1	3M	6063T5
T19.1-15.1	19.1	15.1	2	3M	6063T5
T19.1-13.1	19.1	13.1	3	3M	6063T5
T20.5-17.3	20.5	17.9	1.3	3M	6063T5
T22.2-20.2	22.2	20.2	1	3M	6063T5
T22.2-18.2	22.2	18.2	2	3M	6063T5
T22.2-16.2	22.2	16.2	3	3M	6063T5
T22.2-12.7	22.2	12.7	4.75	3M	6061T6
T25.4-23.4	25.4	23.4	1	3M	6063T5
T25.4-21.4	25.4	21.4	2	3M	6063T5
T25.4-19.4	25.4	19.4	3	6M	6061T6
T25.4-13	25.4	13	6.2	3M	6061T6
T25.4-8	25.4	8	8.7	3M	6061T6
T28.2-21.2	28.2	22.2	3	6M	6061T6

106-11-23

## 拓建圓管規格

編號	外徑(mm)	內徑(mm)	厚度(mm)	長度	材質
T31.8-12	31.8	12	9.9	3M	6061T6
T31.8-19	31.8	19	6.4	3M	6061T6
T31.8-25.8	31.8	25.8	3	6M	6063T5
T31.8-27.8	31.8	27.8	2	6M	6063T5
T35-27	35	27	4	3M	6061T6
T35-29	35	29	3	6M	6061T6
T38-11	38	11	13.5	3M	6061T6
T38-18	38	18	10	3M	6061T6
T38-21	38	21	8.5	3M	6061T6
T38-28	38	28	5	6M	6061T6
T38.1-32.8	38.1	32.1	3	6M	6061T6
T40-32	40	32	4	6M	6061T6
T41.6-21.9	41.6	21.9	9.85	3M	6061T6
T42-35	42	35	3.5	6M	6061T6
T44.7-35.5	44.7	35.5	4.6	6M	6061T6
T47-25	47	25	11	3M	6063T5
T50-40	50	40	5	6M	6061T6
T50.8-44.8	50.8	44.8	3	6M	6063T5
T51-20	51	20	15.5	3M	6061T6
T51-25	51	25	13	3M	6061T6
T51-35	51	35	8	3M	6061T6
T55.5-30.5	55.5	30.5	12.5	3M	6061T6
T57-24	57	24	16.5	3M	6061T6
T58.8-43.5	58.8	43.5	7.65	3M	6061T6
T60-35	60	35	12.5	3M	6061T6
T62-50	62	50	6	6M	6061T6
T63-30	63	30	16.5	3M	6061T6
T63-54.9	63	54.9	4.05	6M	6063T5
T63-57	63.5	57.5	3	6M	6063T5
T64-40	64	40	12	3M	6061T6

106-11-23

## 拓建圓管規格

編號	外徑(mm)	內徑(mm)	厚度(mm)	長度	材質
T65-23	65	23	21	3M	6061T6
T66-40	66	40	13	3M	6061T6
T65-52.6	65	52.6	6.2	3M	6061T6
T68.7-64.4	68.7	64.4	2.15	3M	6063T5
T70.5-28.5	70.5	28.5	21	3M	6061T6
T71-40	71	40	15.5	3M	6061T6
T72-52	72	52	10	3M	6061T6
T73-60	73	60	6.5	3M	6061T6
T76-40	76	40	18	3M	6061T6
T76.2-70.2	76.2	70.2	3	6M	6063T5
T76.0-50.8	76.2	50.8	12.7	3M	6061T6
T76.2-63.5	76.2	63.5	6.35	3M	6061T6
T77-55	77	55	11	3M	6061T6
T79-24	79	24	27.5	2.5M	6061T6
T80.5-37.5	80.5	37.5	21.5	3M	6061T6
T81-30	81	30	25.5	2.5M	6061T6
T81-75	81	75	3	3M	6063T5
T82-64	82	64	9	3M	6061T6
T82-70	82	70	6	3M	6061T6
T85-42	85	42	21.5	2.8M	6061T6
T85-56	85	56	14.5	3M	6061T6
T90-62	90	62	14	2M	6061T6
T90.6-78.7	90.6	78.7	5.95	3M	6063T5
T93-73	93	73	10	3M	6061T6
T95-28	95	28	33.5	1.5M	6061T6
T95-38	95	38	28.5	1.5M	6061T6
T96-49	96	49	23.5	2M	6061T6
T100-62	100	62	19	2M	6061T6
T101.6-95.2	101.6	95.2	3.2	6M	6063T5
T102-90	102	90	6	3M	6061T6

T

106-11-23

## 拓建圓管規格

編號	外徑(mm)	內徑(mm)	厚度(mm)	長度	材質
T104-45	104	45	29.5	1.5M	6061T6
T105-85	105	85	10	3M	6061T6
T106-72	106	72	17	2M	6061T6
T109.8-94	109.8	94	7.9	5M	6063T5
T110-48	110	48	31	1.5M	6063T5
T116-73	116	73	21.5	1.8M	6061T6
T120-83	120	83	18.5	1.5M	6061T6
T120-100	120	100	10	3M	6061T6
T127-117	127	117	5	3M	6063T5
T136-69	136	69	33.5	1.2M	6061(正T6)
T141-129	141	129	6	5M	6063T5
T152-115	152	115	18.5	1.4M	6005(正T6)
T153-138	153	138	7.5	4.5M	6063T5
T168-145	168	145	11.5	3M	6063T5
T187-168	187	168	9.5	3.1M	6063T5



106-11-23

## 拓建花管規格

編號	外徑(mm)	內徑(mm)	小內徑(mm)	長度	材質
G210	50.8	40	34	6M	6063T5
G097	76.2	68	60	6M	6063T5
G172	90.8	81	75.6	6M	6063T5
G250	102	92	83	6M	6063T5
G202	113	102	96	6M	6063T5
G108	127	116.5	111.4	6M	6063T5