

102/10/25

## 拓建圓條規格

| 編號      | 外徑(mm) | 材質     | 長度 |
|---------|--------|--------|----|
| RM005   | 5      | 60063T | 3M |
| RM006   | 6      | 60063T | 3M |
| RM006.4 | 6.4    | 60063T | 3M |
| RM008   | 8      | 6061T6 | 3M |
| RM008.9 | 8.9    | 6061T6 | 3M |
| RM009.6 | 9.6    | 6061T6 | 3M |
| RM010   | 10     | 6061T6 | 3M |
| RM011   | 11     | 6061T6 | 3M |
| RM012   | 12     | 6061T6 | 3M |
| RM012.7 | 12.7   | 6061T6 | 3M |
| RM015.9 | 15.9   | 6061T6 | 3M |
| RM019.1 | 19.1   | 6061T6 | 3M |
| RM020   | 20     | 6061T6 | 3M |
| RM022.2 | 22.2   | 6061T6 | 3M |
| RM025.4 | 25.4   | 6061T6 | 3M |
| RM028.5 | 28.5   | 6061T6 | 3M |
| RM031.8 | 31.8   | 6061T6 | 3M |
| RM035   | 35     | 6061T6 | 3M |
| RM038.1 | 38.1   | 6061T6 | 3M |
| RM040   | 40     | 6061T6 | 3M |
| RM041.3 | 41.3   | 6061T6 | 3M |
| RM044.5 | 44.5   | 6061T6 | 3M |
| RM047.6 | 47.6   | 6061T6 | 3M |
| RM050.8 | 50.8   | 6061T6 | 3M |
| RM054   | 54     | 6061T6 | 3M |
| RM057   | 57     | 6061T6 | 3M |
| RM060.8 | 60.8   | 6061T6 | 3M |
| RM063.5 | 63.5   | 6061T6 | 3M |
| RM066.7 | 66.7   | 6061T6 | 3M |

102/10/25

## 拓建圓條規格

| 編號      | 外徑(mm)     | 材質        | 長度    |
|---------|------------|-----------|-------|
| RM071   | 71         | 6061T6    | 3M    |
| RM073   | 73         | 6061T6    | 3M    |
| RM076.2 | 76.2       | 6061T6    | 2.5M  |
| RM077   | 77         | 6061T6    | 2.5M  |
| RM080   | 79.3       | 6061T6    | 2M    |
| RM081   | 81         | 6061T6    | 2M    |
| RM082.5 | 82.5       | 6061T6    | 2M    |
| RM085.7 | 85.7       | 6061T6    | 2M    |
| RM088.9 | 88.9       | 6061T6    | 1.8M  |
| RM092   | 92         | 6061T6    | 1.8M  |
| RM095.2 | 95.2       | 6061(正T6) | 1.2M  |
| RM101.6 | 101.6      | 6061(正T6) | 1.2M  |
| RM106   | 106        | 6061(正T6) | 1.2M  |
| RM112   | 112        | 6061(正T6) | 1.2M  |
| RM115   | 115        | 6061(正T6) | 1.2M  |
| P114    | 114(鋁擠錠)   | 6061(正T6) | 1.16M |
| RM122   | 122        | 6061(正T6) | 1.2M  |
| P127    | 127(鋁擠錠)   | 6061(正T6) | 1.16M |
| RM139.7 | 139.7      | 6061(正T6) | 1.2M  |
| P139.7  | 139.7(鋁擠錠) | 6061(正T6) | 1.16M |
| RM141   | 141        | 6061(正T6) | 1M    |
| P152.4  | 152.4(鋁擠錠) | 6061(正T6) | 1.16M |
| RM152.4 | 152.4      | 6061(正T6) | 0.82M |
| P165.1  | 165.1(鋁擠錠) | 6061(正T6) | 1.16M |
| P177.8  | 177.8(鋁擠錠) | 6061(正T6) | 1.16M |
| P190.5  | 190.5(鋁擠錠) | 6061(正T6) | 1.16M |
| P203.2  | 203.2(鋁擠錠) | 6061(正T6) | 1.16M |
| P215.9  | 215.9(鋁擠錠) | 6061(正T6) | 1.16M |
| P228.6  | 228.6(鋁擠錠) | 6061(正T6) | 1.16M |
| P241.3  | 241.3(鋁擠錠) | 6061(正T6) | 0.86M |

102/10/25

拓建圓條規格

| 編號   | 外徑(mm)   | 材質        | 長度    |
|------|----------|-----------|-------|
| P254 | 254(鋁擠錠) | 6061(正T6) | 0.82M |